

Application No.: 10/823,169

Applicant: GAO et al.

Filed: April 13, 2004


Page 3 of 10

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (Original) A compound having the formula (I):




wherein:

M is a transition metal selected from Groups 4 to 10 (IUPAC, 1990);


R_a is H or C1 to C6 alkyl, optionally substituted;

y is an integer of 1 or 2;

R_b is H, or a vinyl group having the formula (II):



or the formula (IIA):




or the formula (IIB):

Application No.: 10/823,169

Applicant: GAO et al.

Filed: April 13, 2004

Page 4 of 10




wherein R_c is H or C1 to C6 alkyl, optionally substituted;

R_1 and R_2 are independently selected from C1 to C6 alkyl, optionally substituted;

R_3 and R_4 are independently selected from H or C1 to C6 alkyl, optionally substituted; and


n is an integer of 2 or 3.

2. (Original) The compound of claim 1, having the formula (IA):



wherein M, R_a , R_b , R_1 , R_2 , R_3 and R_4 have the same meanings as defined in claim 1.

3. (Original) The compound of claim 1, having the formula (IB):



wherein M, R_a , R_b , R_1 , R_2 , R_3 and R_4 have the same meanings as defined in claim 1.

Application No.: 10/823,169

Applicant: GAO et al.

Filed: April 13, 2004


Page 5 of 10

4. (Original) The compound of claim 1, wherein R_a and R_c are each independently selected from the group consisting of hydrogen, methyl, ethyl, propyl, isopropyl, n-propyl, butyl, n-butyl, tert-butyl, pentyl, n-pentyl, iso-pentyl, n-hexyl and iso-hexyl, all optionally substituted.

5. (Original) The compound of claim 1, wherein R_1 and/or R_2 are each independently selected from the group consisting of methyl, ethyl, propyl, isopropyl, n-propyl, butyl, n-butyl, tert-butyl, pentyl, n-pentyl, iso-pentyl, n-hexyl and iso-hexyl, all optionally substituted.

6. (Original) The compound of claim 1, wherein R_3 and/or R_4 are each independently selected from the group consisting of hydrogen atom, methyl, ethyl, propyl, isopropyl, n-propyl, butyl, n-butyl, tert-butyl, pentyl, n-pentyl, iso-pentyl, n-hexyl and iso-hexyl, all optionally substituted.

7. (Original) The compound of claim 1, wherein the moiety



in formula (I) is selected from the group consisting of tetramethyl-1-methyl-ethylenediamine, tetraethyl-ethylenediamine, N,N'-diethyl-N,N'-dimethyl-ethylenediamine, N,N'-dimethyl-N,N'-diethyl-1-methyl-ethylenediamine, tetrapropyl-ethylenediamine, N,N'-dimethyl-N,N'-dipropylethylenediamine, tetramethyl-propylenediamine, tetraethyl-2-ethyl-propylenediamine, N,N'-diethyl-N,N'-dimethyl-propylenediamine, and N,N'-Diisopropyl-N,N'-dimethyl-1,3-propanediamine.

8. (Currently amended) The compound of claim 1, wherein M is a metal selected from the group consisting of Fe, Co, Ni, Mn, Zr, Cr, Ti, [[Vn]] V, Os, and Ru.

9. (Original) The compound of claim 1, wherein the overall charge of the compound is positive.


Application No.: 10/823,169

Applicant: GAO et al.


Filed: April 13, 2004

Page 6 of 10


10. (Original) The compound of Claim 1, wherein the compound is represented by the formula (VII):




11. (Original) The compound of Claim 1, wherein the compound is represented by the formula (VIII):



12. (Original) A process for preparing an organometallic compound comprising: reacting a compound having the formula (III):



with a compound having the formula (IV):



Application No.: 10/823,169

Applicant: GAO et al.

Filed: April 13, 2004

Page 7 of 10


wherein:

M is a transition metal selected from Groups 4 to 10 (IUPAC, 1990);


R_a is H or C1 to C6 alkyl, optionally substituted;

R_b is H, or a vinyl group having


the formula (II):



or the formula (IIA):



or the formula (IIB):



wherein R_c is H or C1 to C6 alkyl, optionally substituted;

R₁ and R₂ are independently C1 to C6 alkyl, optionally substituted,

R₃ and R₄ are independently H or CH₃, optionally substituted; and

n is an integer of 2 or 3;

said reaction being carried out in the presence of an oxidising agent.

13. (Original) The process of claim 12, wherein the reaction mixture comprises a polar organic solvent.

14. (Original) The process of claim 12, wherein the oxidising agent comprises a chemical oxidising agent selected from the group consisting of a salt of persulfate, chlorate, bromate, peroxide, or a mixture thereof.

Application No.: 10/823,169

Applicant: GAO et al.

Filed: April 13, 2004

Page 8 of 10

15. (Original) The process of claim 12, wherein the reaction is an electrolytic reaction carried out in the presence of a support electrolyte, and wherein the oxidising agent is a voltage potential provided by an electrical source.

16. (Original) The process of Claim 15, wherein the support electrolyte is tetrabutylammonium hexafluorophosphate.

17. (Original) The process of Claim 12, further comprising precipitating the product in a precipitating agent.

18. (Currently amended) ~~The use of a compound having the formula (I) as defined in claim 1 as a nucleic acid intercalating agent~~ A method of altering a nucleic acid, comprising contacting a nucleic acid with a compound having the formula (I) as defined in claim 1 so that the compound intercalates with the nucleic acid.

19. (Currently amended) ~~The use of a compound having the formula (I) as defined in claim 1 as a catalyst for amine oxidation~~ A method of catalyzing oxidation of an amine, comprising contacting an amine with a compound having the formula (I) as defined in claim 1 to catalyze oxidation of the amine.